CLEENOL For a cleaner, safer world

SAFETY DATA SHEET LIFT MULTIPURPOSE CLEANER WITH STAIN REMOVER

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	LIFT MULTIPURPOSE CLEANER WITH STAIN REMOVER
Internal identification	053789
Container size	6x750ml
1.2. Relevant identified use	es of the substance or mixture and uses advised against
Identified uses	Hard surface cleaner. For use on cooker tops, kitchen work surfaces, food preparation surfaces, sinks, ceramic tiles, porcelain and enamel.
Uses advised against	Not for use on surfaces discoloured by bleach.
1.3. Details of the supplier	of the safety data sheet
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
1.4. Emergency telephone	number
Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).
SECTION 2: Hazards ident	lification
2.1. Classification of the su	bstance or mixture
Classification (EC 1272/20	
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements Hazard pictograms	
Signal word	Danger
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements	 P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.
Contains	SODIUM HYPOCHLORITE, SODIUM HYDROXIDE
Supplementary precautionary statements	P264 Wash contaminated skin thoroughly after handling. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

3.2. Mixtures			
SODIUM HYPOCHLORITE			1-5%
CAS number: 7681-52-9	EC number: 231-668-3	REACH registration number: 01- 2119488154-34-XXXX	
M factor (Acute) = 10	M factor (Chronic) = 1		
Classification			
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
Aquatic Chronic 1 - H410			
SODIUM XYLENE SULPHONATE			1-5%
			1-570
CAS number: 1300-72-7	EC number: 215-090-9	REACH registration number: 01- 2119513350-56-0001	
Classification			
Eye Irrit. 2 - H319			
SODIUM HYDROXIDE			1-5%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-	
		2119457892-27-XXXX	
Classification			
Skin Corr. 1A - H314			
Eye Dam. 1 - H318			

N,N-DIMETHYLDECYLAMI	NE N-OXIDE	<19
CAS number: 2605-79-0	EC number: 220-020-5	
M factor (Acute) = 1		
Classification		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318 Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		
·		
AMINES, C12-18(EVEN NU OXIDES	MBERED)-ALKYLDIMETHYL, N-	<19
CAS number: 68955-55-5	EC number: 931-341-1	REACH registration number: 01- 2119489396-21-0002
M factor (Acute) = 1		
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		
The full text for all hazard sta	tements is displayed in Section 16.	
SECTION 4: First aid measu	es	
I.1. Description of first aid mo	easures	
nhalation	If spray/mist has been inhaled, proceed as fol contamination. In the event of any sensitisatic exposure is avoided.	llows. Remove affected person from source of on symptoms developing, ensure further
ngestion	Give plenty of water to drink. Give milk instead medical attention promptly.	d of water if readily available. If in doubt, get
Skin contact	Remove contaminated clothing and rinse skin symptoms are severe or persist after washing developing, ensure further exposure is avoide	
Eye contact	Remove any contact lenses and open eyelids water. Continue to rinse for at least 15 minute continues.	
4.2. Most important symptom	s and effects, both acute and delayed	
nhalation	The product is considered to be a low hazard may cause respiratory tract irritation.	under normal conditions of use. Spray/mists
ngestion	No harmful effects expected from quantities li	kely to be ingested by accident.
Skin contact	May cause skin irritation.	
Eye contact	May cause serious eye damage.	
I.3. Indication of anv immedia	ate medical attention and special treatment need	led
	· · · · · · · · · · · · · · · · · · ·	

- Notes for the doctor No specific recommendations.
- Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
5.2. Special hazards arising fro	om the substance or mixture	
Specific hazards	None known.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Fight fire with normal precautions from a reasonable distance.	
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Avoid contact with eyes and prolonged skin contact. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.	
6.2. Environmental precautions		
Environmental precautions	Avoid discharge to the aquatic environment.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Discharge of small quantities to the sewer with plenty of water is permitted.	
6.4. Reference to other section	ns	
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	For professional users only. Avoid contact with eyes and prolonged skin contact. Avoid breathing spray.	
Advice on general occupational hygiene	Wash contaminated skin thoroughly after handling.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Keep only in the original container. Keep containers upright.	
Storage class	Chemical storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.	
SECTION 8: Exposure controls/Personal protection		
8.1. Control parameters		

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment

Personal protection	Avoid breathing spray or mist.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	No specific requirements are anticipated under normal conditions of use. For users with sensitive skin, it is recommended that suitable protective gloves are worn. Wear protective gloves made of the following material: Rubber (natural, latex). Nitrile rubber. To protect hands from chemicals, gloves should comply with European Standard EN374.
Hygiene measures	Wash contaminated skin thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.	
Colour	Colourless.	
Odour	Mild. Fruity.	
рН	pH (concentrated solution): 12.8 - 13.5	
Initial boiling point and range	100°C	
Flash point	Not applicable.	
Flammability (solid, gas)	Not applicable.	
Relative density	~ 1.05 @ 20°C	
Solubility(ies)	Soluble in water.	
Auto-ignition temperature	Not applicable.	
Viscosity	Non-viscous.	
Explosive properties	Not applicable.	
Oxidising properties	Does not meet the criteria for classification as oxidising.	
9.2. Other information		
Refractive index	8 - 10	
Volatile organic compound	This product contains a maximum VOC content of <1 %.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	

10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.	
10.4. Conditions to avoid		
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition	n products	
Hazardous decomposition products	Does not decompose when used and stored as recommended.	
SECTION 11: Toxicological int	formation	
11.1. Information on toxicologi	cal effects	
Toxicological effects	Information given is based on data of the components and of similar products.	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation		
Serious eye damage/irritation	Causes serious eye damage.	
General information	This product has low toxicity. Only large quantities are likely to have adverse effects on human health.	
Medical considerations	Pre-existing eye problems.	
SECTION 12: Ecological inform	nation	
Ecotoxicity	The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.	
12.1. Toxicity		
Toxicity	Harmful to Aquatic Organisms	
12.2. Persistence and degradability		
Persistence and degradability	The product is moderately biodegradable.	
12.3. Bioaccumulative potentia		
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.	
12.4. Mobility in soil		
Mobility	The product is miscible with water and may spread in water systems.	
12.5. Results of PBT and vPvE	3 assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	

6/8

SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
General information	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.	
Disposal methods	The product is designed and intended for disposal to public sewer after use.	
SECTION 14: Transport info	rmation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping name		
Not applicable.		
14.3. Transport hazard class	(es)	
No transport warning sign ree	quired.	
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant		
14.6. Special precautions for	user	
Not applicable.		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	o Not applicable.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of	

7/8

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

Chemicals (REACH) (as amended).

2004 on detergents (as amended).

amended).

work (as amended).

Guidance

EH40/2005 Workplace exposure limits Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended) Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	16/04/2021
Revision	16
Supersedes date	14/10/2020
SDS number	10205
Hazard statements in full	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.